



AUTHORIZED KOHLER DISTRIBUTOR

Reliable Backup Power for Independent Pharmacies

Visit us at APEX 2026 · June 18–20 · La Cantera Resort, San Antonio, TX

ABOUT IPS POWERGUARD

Your trusted partner in power.

IPS PowerGuard (formerly TAW Power Systems) is a full-service authorized Kohler / Rehlko distributor delivering turnkey home, light-commercial, and industrial backup power. Backed by a nationwide network of Kohler-certified dealers servicing IPS-provided equipment in the field, our factory-trained technicians, OEM parts inventory, and project-management expertise keep critical facilities running when the grid doesn't.

WHAT WE OFFER

- **Sales & Engineering.** Kohler diesel & natural-gas gensets, ATS, switchgear, paralleling systems.
- **Installation & Commissioning.** Turnkey project delivery, code-compliant builds, factory startup.
- **24/7 Service & Maintenance.** Preventive maintenance contracts, emergency dispatch, OEM parts.
- **Rentals & Load Bank Testing.** Temporary power, NFPA 110 load bank testing, planned-shutdown support.
- **Compliance Support.** FAR / TAA / BAA expertise for government and regulated industries.

WHY KOHLER / REHLKO

Built for mission-critical reliability.

The same Kohler standby technology trusted by hospitals, nuclear plants, and the National Weather Service protects your pharmacy. Engines are built to start large loads instantly, restore power within seconds of an outage, and run on your existing natural gas or LP — no refueling, no extension cords, no missed prescriptions.

2,000 hr

5-year warranty

181 mph

Wind-rated

10 seconds

Restore-to-power



Made in
the USA

10%

Exclusive confidential pricing available to all American Pharmacies Members.

WHY INDEPENDENT PHARMACIES CHOOSE IPS POWERGUARD

Nationwide network

Kohler-certified dealers across the country servicing IPS-provided equipment in the field.

Factory-trained techs

Kohler-certified technicians and OEM-only parts for every install and repair.

Turnkey single source

Sizing, permitting, install, startup, and maintenance — one partner.

Compliance expertise

NFPA 110, FAR, TAA, BAA — we speak regulated-industry fluently.

KOHLER®

Home Generators Authorized Dealer

Home & Light-Commercial Generators

WHY IT MATTERS FOR PHARMACIES

Every minute of downtime has a cost.

Power outages put refrigerated medications, vaccines, compounding operations, and patient service at immediate risk. A properly sized Kohler standby system protects your inventory, your patients, and your reputation — automatically, 24/7.

- **Refrigerated & frozen inventory.** Vaccines, biologics, insulin, compounded preparations.
- **POS & pharmacy management systems.** Adjudication, e-prescribing, label printing stay online.
- **Lighting, HVAC, security.** Safe environment for staff and patients during any outage.
- **Compounding & clean spaces.** Maintain temperature, humidity, and airflow standards.
- **Drive-thru & consultation rooms.** Keep serving your community when competitors can't.

RECOMMENDED FOR INDEPENDENT PHARMACIES

14 kW	Small pharmacy basics — refrigeration, POS, lighting, HVAC essentials.
20 kW	Most independent pharmacies — full operations including compounding fridge.
26 kW	Larger stores with drive-thru, expanded refrigeration, and clean spaces.
48 kW	Multi-site pharmacies, compounding labs, 200-amp service buildings.

Let's keep your pharmacy powered.

Proud planned sponsor of the APEX 2026 attendee breakfast.

to schedule your no-obligation consult.

YOUR APEX CONTACT

Alexis Brown

IPS PowerGuard

561-519-3981

alexis.brown@ips.us

REDEEM 10% OFF



scan to email Alexis

LEARN MORE



scan to visit ips.co



KOHLER Generators

AUTHORIZED KOHLER WHOLESALER

Why Every Pharmacy Needs a Standby Generator

Protecting your inventory, your patients, and your team

★ EXCLUSIVE MEMBER PRICING — Available to pharmacy owners, employees & their families ★

Power outages don't pause for patients. Your pharmacy can't afford to either.

Whether caused by hurricanes, ice storms, grid failures, or infrastructure issues, power outages put pharmacies at immediate risk — from spoiled medications and regulatory violations to patients who depend on you for critical prescriptions. A KOHLER® standby generator activates within seconds, automatically, keeping your pharmacy fully operational around the clock.

Rx

Protect Cold-Chain Medications

Insulin, biologics, vaccines, and refrigerated medications lose potency or become unsafe when temperature controls fail. A single outage can mean thousands in product loss. Your generator keeps refrigerators and freezers running from the first second of an outage.

!

Serve Critical Patients — Without Interruption

Patients on time-sensitive medications — chemotherapy, anticoagulants, seizure drugs, mental health prescriptions — cannot wait for power to come back. A standby generator ensures your dispensing systems, POS terminals, and electronic records stay online so care never stops.

\$

Avoid Costly Inventory Loss

Average pharmacy refrigerated inventory ranges from \$10,000 to \$50,000+. Most insurance policies require proof of reasonable precautions. A documented standby power system demonstrates due diligence and may reduce claim denials or premium surcharges.

C

Maintain Regulatory Compliance

State boards of pharmacy and the FDA require pharmacies to maintain proper drug storage conditions. Temperature excursions must be documented and reported. A generator eliminates emergency quarantine procedures and protects your license from compliance actions.

W

Keep POS, PBM & Telecom Systems Online

Modern pharmacies rely on internet connectivity, real-time PBM adjudication, electronic prescriptions, and security systems. A power outage disables all of these. Your KOHLER generator keeps network equipment, servers, and phone systems fully powered.

+

Community Lifeline During Emergencies

During declared emergencies, pharmacies with backup power become critical community hubs. FEMA and state emergency management agencies partner with operational pharmacies to distribute medications. Being open when others are dark builds loyalty and trust.

< 10 sec

Automatic power restoration

5-Year

Premium warranty — parts & labor

24 / 7

Remote monitoring via mobile app

\$0

Cost of cold-chain loss with backup power



KOHLER Generators

Generator Buying Program

American Pharmacies Group

Member Exclusive Pricing | Confidential

Residential Standby Power Solutions

What's Inside

Air-Cooled RCA Generators

14 kW, 20 kW, 26 kW — Quiet, powerful, customizable

Liquid-Cooled RCL Generators

24–60 kW — Premium durability for larger homes

Full Product Line Reference

6–150 kW comparison, sizing guide & color options

Member Price List

Confidential net pricing, MSRP & lead times

IMPORTANT NOTES

- All prices listed are member net prices in USD. Pricing valid as of dates shown on each sheet.
- Prices do not include freight, installation, taxes, or applicable surcharges.
- Quote valid for 30 days from date of issue. Subject to change without notice.
- Generators up to 60RCLB include Kohler OnCue monitoring (requires CAT5 cable to router).
- All units include a 5-year warranty. Upgrades to 7 or 10-year available.
- Lead time: Generators ≈ 6 weeks | Transfer Switches ≈ 2 weeks.
- Orders / POs: alexis.brown@ips.us | IPS Power Systems Standard Terms & Conditions apply.



KOHLER Generators

SECTION 1 — AIR-COOLED

RCA Air-Cooled Generators

14 kW · 20 kW · 26 kW

American Pharmacies Group — Member Pricing

KOHLER®



RCA Generators
14 kW, 20 kW, 26 kW

| Home Generators

Reliable Home Standby Power

Our 14-, 20-, and 26-kW RCA generators offer quiet, reliable performance to power your home.

PowerBoost™ Technology

Only Kohler has PowerBoost™ technology which enables our RCA generators to accept heavy loads (like air conditioning or sump pump) without dropping power to other loads in your home. In addition, KOHLER® generators will have your home powered within 10 seconds of an outage.

Commercial-Grade KOHLER Command PRO® Engine

Every KOHLER RCA generator features a heavy-duty engine built to exceed the demands of standby power. The generators are built with hydraulic valve lifters to eliminate need for lengthy break-in periods and expensive valve adjustments.

Easy to Install and Maintain

A simple terminal block helps streamline installation. The RCA line of generators accommodates natural gas fuel pressure as low as 3.5 inches to eliminate expensive gas service upgrades.



Toolless Access in 10 Seconds

The corrosion-resistant enclosure is designed to reduce time required to service the generator. Once the lid is unlocked, in less than 10 seconds you have full access to key components for scheduled maintenance or service. The enclosure is also NFPA 37-compliant to have an 18-inch setback from any structure.

Get Connected

Connect your generator to the Internet to get peace of mind in the palm of your hand. Whether you're home or on the go, Kohler's mobile app will let you monitor your generator system anytime from anywhere and get instant updates via text or email.

Premium Warranty

You get our 2,000-hour, five-year premium limited warranty, covering parts, labor, and dealer travel for the full warranty period. Optional extended warranties are also available.



Blend *in* or Stand *out*.

Customize your generator with ten new colors and three camouflage patterns. KOHLER® 14- to 26-kW kW RCA generators can now match your style to complement the color of your home or stand out to make a statement—only available with Kohler.



Cashmere

*Cashmere standard color



Nevergreen



French Linen Gray



Pegasus



Pigeon Feather



Dover Gray



Royal Plum



Royal Hunter Green



Admiralty



Canyon Blue



Brick Dust

26-kW Home Generator

Introducing the KOHLER® 26-kW generator—the quietest, most durable, and most powerful air-cooled generator on the market.

Ultra Quiet

- ✓ The 26 RCA exercises at the volume of a conversation (56 dBA)—perfect for areas with stringent sound requirements.

Most Powerful*

- ✓ In addition to featuring PowerBoost technology, it is rated at 109 Amps (LP) to power more in your home.

Exceptionally Durable

- ✓ The 26 RCA includes oil-level and oil-pressure sensors to protect your engine if your generator needs to be left unattended during extended power outages.

KOHLER × MOSSY OAK®



Mossy Oak® Break-Up Country®



Mossy Oak® Original Bottomland®



Mossy Oak® Shadow Grass® Habitat™

Mossy Oak is a trademark used under license from Haas Outdoors, Inc., by Kohler.

*Air-cooled 26 kW Generator

The Power of *Reliability*



	14 kW	20 kW	26 kW
Model Number	14RCA	20RCA	26RCA
Rated Power LPG/NG	14/12	20/18	26/24
Voltage @ 60 Hz Single-Phase	120/240	120/240	120/240
Amps LPG/NG @ 240 V Single-Phase	58/50	83/75	109/100
Engine/Alternator RPM	3600	3600	3600
Three-Phase Available	Yes	Yes	Yes
Engine	725 CC	999 CC	999 CC
	23.6 HP	30.9 HP	36.4 HP
	KOHLER Command PRO OHV CH740	KOHLER Command PRO OHV CH1000	KOHLER Command PRO OHV CH1006
	V-Twin	V-Twin	V-Twin
	Hydraulic Valve Lifters	Hydraulic Valve Lifters	Hydraulic Valve Lifters
Peak Motor Starting kVA at 240 V (35% Dip for Lower Voltages)	33	41	39
Fuel	LPG/NG	LPG/NG	LPG/NG
Engine Cooling	Air-Cooled	Air-Cooled	Air-Cooled
Fuel Pressure Requirement (in H ₂ O)	NG 5-11 LP 7-11	NG 3.5-11 LP 7-11	NG 3.5-11 LP 7-11
Enclosure	Powder-Coated Corrosion-Resistant Aluminum	Powder-Coated Corrosion-Resistant Aluminum	Powder-Coated Corrosion-Resistant Aluminum
Single-Point Sound Output dBA at 23 Ft (During Exercise/Normal Operation)*	58/63	62/67	56/67
Dimensions (inches)	47 x 26 x 32	47 x 26 x 32	47 x 26 x 32
Digital Voltage Regulation	+/- 1.0%	+/- 1.0%	+/- 1.0%
Excitation	PowerBoost Brushed With Aux Winding	PowerBoost Brushed With Aux Winding	PowerBoost Brushed With Aux Winding
Warranty†	5-Year Premium Limited	5-Year Premium Limited	5-Year Premium Limited

*Single-point sound levels are the lowest of eight points measured around the generator. RCA sound levels are measured at the front of the generator. Actual sound levels may vary based on installation parameters.

†18 month or 1,000-hour warranty offered on nonstandby (off-grid) applications.

For more information, contact your Kohler source of supply,
or call toll-free in the U.S. and Canada 1-800-544-2444

KOHLER®

KohlerGenerators.com

PRINTED IN U.S.A WF360525 G12-497 09/23 © KOHLER CO.



KOHLER Generators

SECTION 2 — LIQUID-COOLED

RCL Liquid-Cooled Generators

24 kW · 30 kW · 38 kW · 48 kW · 60 kW

American Pharmacies Group — Member Pricing

KOHLER®



| Home Generators

RCL *Generators*

24–60 kW

RELIABLE HOME AND BUSINESS STANDBY POWER

Exceptionally powerful, surprisingly quiet. Whatever the size of your home or business, there’s a reliable RCL generator to match.

Durability and Reliability

Every KOHLER RCL generator undergoes rigorous durability and reliability testing, ensuring longevity. The heavy-duty liquid-cooled engine performs exceptionally well during long runs in extreme heat conditions. Additionally, the aluminum powder-coated enclosure is designed to withstand harsh weather conditions

Premium Warranty

You get our 2,000-Hour Five-Year Premium Limited Warranty, covering parts, labor, and dealer travel for the full warranty period. Optional extended warranties are also available.

Quiet Operation

RCL generators are equipped with patented sound innovations, including an automotive-style cooling system that operates at different speeds and highly engineered fiber insulation. These features work together seamlessly to maintain a noise level equivalent to a normal conversation during the weekly exercise routine. As a result, the generators are incredibly friendly to the surrounding neighborhood.

Premium Power

RCL generators provide excellent digital voltage and frequency regulation, working together to create a voltage response equal or better than the utility that keeps your smart appliances and electronics running optimally without failure.

Innovative Design and Installation

Kohler RCL generators are designed to blend seamlessly into your surroundings. The aesthetically pleasing cashmere enclosures are among the smallest in their class for 30, 38, and 60kW models. Their compact size, combined with a certified 18” offset from your home, allows for installation flexibility while seamlessly blending into your space.

Get Connected

Get your generator Internet-connected to get peace of mind in the palm of your hand. Whether you’re home or on the go, Kohler’s mobile app will let you monitor your generator system anytime from anywhere and get instant updates via text or email.

	24 kW	30 kW	38 kW	48 kW	60 kW
Model Number	24RCLA	30RCLA	38RCLC	48RCLC	60RCLB
Rated Power LPG/NG	24/21	30/30	38/38	48/48	60/58
Voltage @ 60 Hz Single-Phase	120/240	120/240	120/240	120/240	120/240
Amps LPG/NG @ 240 V Single-Phase	100/88	125/125	159/159	200/200	250/242
Engine/Alternator RPM	1800	1800	1800	1800	1800
Three-Phase Available	Yes	Yes	Yes	Yes	Yes
Engine	2.2 L	2.2 L Turbo	2.2 L Turbo	6.2 L	6.2 L
	37 HP	64 HP	64 HP	103 HP	103 HP
	KOHLER KG2204 Naturally Aspirated	KOHLER KG2204T Turbo	KOHLER KG2204T Turbo	KOHLER KG6208 Naturally Aspirated	KOHLER KG6208 Naturally Aspirated
	In-Line 4	In-Line 4	In-Line 4	V-8	V-8
	Hydraulic Valve Lifters	Hydraulic Valve Lifters	Hydraulic Valve Lifters	Hydraulic Valve Lifters	Hydraulic Valve Lifters
Peak Motor Starting kVA at 240 V (35% Dip for Lower Voltages)	37	44	74	113	144
Fuel	LPG/NG	LPG/NG	LPG/NG	LPG/NG	LPG/NG
Engine Cooling	Liquid-Cooled	Liquid-Cooled	Liquid-Cooled	Liquid-Cooled	Liquid-Cooled
Fuel Pressure Requirement (in H2O)	5-11	5-11	5-11	5-11	5-11
Enclosure	Powder-Coated Corrosion- Resistant Aluminum	Powder-Coated Corrosion- Resistant Aluminum	Powder-Coated Corrosion- Resistant Aluminum	Powder-Coated Corrosion- Resistant Aluminum	Powder-Coated Corrosion- Resistant Aluminum
Single-Point Sound Output dBA at 23 Ft (During Exercise/ Normal Operation)*	52/60	52/60	52/60	61/61	61/61
Dimensions (Inches)	74 x 33 x 46	74 x 33 x 46	74 x 33 x 46	90 x 33 x 47	90 x 33 x 47
Digital Voltage Regulation	+/- 1.0%	+/- 1.0%	+/- 1.0%	+/- 1.0%	+/- 1.0%
Excitation	PowerBoost- Non-Brushed Wound Field with Aux Winding	PowerBoost- Non-Brushed Wound Field with Aux Winding	PowerBoost- Non-Brushed Wound Field with Aux Winding	Fast Response PMG	Fast-Response PMG
Warranty	Five-Year Premium Limited	Five-Year Premium Limited	Five-Year Premium Limited	Five-Year Premium Limited	Five-Year Premium Limited
18-Inch Reduced Setback	Yes	Yes	Yes	Yes	Yes
Mossy Oak Patterns	No	No	No	No	No
Kohler Color Options	No	No	No	No	No

*Single-point sound levels are the lowest of eight points measured around the generator. Sound levels are measured at the front of the generator. Actual sound levels may vary based on installation parameters.



KOHLER Generators

SECTION 3 — COMPLETE REFERENCE

Full Residential Product Line

6–150 kW | Sizing Guide | Color Options

American Pharmacies Group — Member Pricing



KOHLER®

| Home Energy

Keep your *power on*
even when the
power's out.

Estimate your power needs.

Here's a quick tool to estimate the right size KOHLER® generator for your home or business. The best way to determine your specific power needs is to ask your generator professional to perform a site survey to analyze your electrical load and specify and install the proper generator system.

Your Electrical Needs	Generator Size			
	10–14 kW	15–25 kW	26–48 kW	49–150 kW
Furnace Fan	x	x	x	For greater than 200-amp service in larger homes and small businesses
Refrigerator/Freezer	x	x	x	
Sump Pump	x	x	x	
Lighting	x	x	x	
Well Pump	x	x	x	
Television/Radio	x	x	x	
Internet/Computer	x	x	x	
Garage Door Opener	x	x	x	
Security System		x	x	
Central Air System		x	x	
Water Heater		x	x	
Washing Machine		x	x	
Electric Range		x	x	
Clothes Dryer			x	
Dishwasher			x	
Microwave Oven			x	
Toaster Oven			x	
Extensive Power Requirements			x	

This chart provides a rough sizing estimate. As always, the best way to determine your specific power needs is to consult a licensed electrical contractor. Visit KohlerEnergy.com for a sizing calculator to determine your needs.

KOHLER®



For more information, contact your Kohler source of supply, or call 800-544-2444 in the U.S. and Canada.

KohlerGenerators.com

PRINTED IN U.S.A. WF353953 G12-429 10/23 © KOHLER CO.

Mossy Oak®* patterns

KOHLER X MOSSY OAK PATTERNS



Mossy Oak
Shadow Grass Habitat




Mossy Oak
Break-Up Country



Mossy Oak
Original Bottomland®

*Mossy Oak is a trademark used under license from Haas Outdoors, Inc. by Kohler.

KOHLER exclusive colors



Cashmere™
(Standard Color)



Dover Gray



Pigeon Feather



Nevergreen




Admiralty



Royal Hunter Green




Royal Plum



Pegasus



French Gray Linen



Brick Dust



Canyon Blue

Find your *perfect* generator.

																		
	6 kW	10 kW	12 kW	12 kW	14 kW	20 kW	26 kW	24 kW	30 kW	38 kW	48 kW	60 kW	80 kW	100 kW	125 kW	150 kW		
Model Number	6VSG	10RESV	12RESV	12RES	14RCA	20RCA	26RCA	24RCLA	30RCLA	38RCLC	48RCLC	60RCLB	KG80R	KG100R	KG125R	150ERESC		
Rated Power LPG/NG	6/6	10/9	12/11	12/10.4	14/12	20/18	26/24	24/21	30/30	38/38	48/48	60/60	80/80	100/100	105/125	134/144		
Voltage @ 60 Hz Single-Phase	24/36/48	120/240																
Amps LPG/NG @ 240 V Single-Phase	223/149/112	41.7/37.5	50/45.8	50/43	58/50	83/75	109/100	100/88	125/125	159/159	200/200	250/242	334/334	417/417	438/521	557/600		
Engine/Alternator RPM	Variable	3600																
Three-Phase Available	No				Yes				Yes									
Engine	725 CC					999 CC			2.2 L		2.2 L Turbo		6.2 L		6.2 L Turbo		8.8 L Turbo	
	12.2 HP	21.4 HP		23.6 HP		30.9 HP		36.4 HP		37 HP		64 HP		103 HP		127 HP	202 HP	259 HP
	KOHLER Command PRO CH740	KOHLER 7000 Series OHV KT725		KOHLER Command PRO OHV CH740		KOHLER Command PRO OHV CH1000		KOHLER Command PRO OHV CH1006		KOHLER KG2204 Naturally Aspirated		KOHLER KG2204T Turbo		KOHLER KG6208 Naturally Aspirated		KOHLER KG6208 TA Turbocharged/Aftercooled		PSI Industrial Turbocharged and Charged Cooled
	V-Twin							In-Line 4				V-8						
	Hydraulic Valve Lifters	Solid Pushrods		Hydraulic Valve Lifters														
Peak Motor Starting kVA at 240 V (35% Dip for Lower Voltages)	N/A	16.8		32	33	41	39	37	44	74	113	144	237	440				
Fuel	LPG/NG																	
Engine Cooling	Air-Cooled																	
	Liquid-Cooled																	
Fuel Pressure Requirement (in H ₂ O)	NG 5-11 LP 7-11	NG 3.5-11 LP 7-11			NG 5-11 LP 7-11	NG 3.5-11 LP 7-11	NG 3.5-11 LP 7-11	5-11					7-11			NG 5-11 LP 7-11		
Enclosure	Powder-Coated Steel	Powder-Coated Steel			Powder-Coated Corrosion-Resistant Aluminum			Corrosion-Resistant Aluminum					Corrosion-Resistant Steel (Aluminum Also Available)					
Single-Point Sound Output dBA at 23 Ft (During Exercise/Normal Operation)*	57	64/69		63	58/63	62/67	56/67	52/60			61/61		67	65	65	70		
Dimensions (Inches)	39.8 x 28 x 28.5	28 x 30 x 32		44 x 29 x 32	47 x 26 x 32			74 x 33 x 46			90 x 33 x 47		139 x 45 x 66					
Digital Voltage Regulation	/- 0.5%	+/- 1.0%		+/- 1.5%	+/- 1.0%			+/- 1.0%					+/- 0.5%					
Excitation	N/A	PowerBoost Brushed With Aux Winding										Fast-Response PMG						
Warranty	Five-Year Premium Limited†																	
18-Inch Reduced Setback	No	Yes		No	Yes			Yes					No					
Mossy Oak Patterns	No		No			Yes			No					No				
KOHLER Exclusive Color Options	No				Yes			No										

RATINGS: Standby ratings apply to installations served by a reliable utility source. All single-phase units are rated at 1.0 power factor. The standby rating is applicable to variable loads with an average load factor of 80% for the duration of the power outage. No overload capacity is specified at this rating. Ratings are in accordance with ISO-3046/1, BS5514, AS2789, and DIN 6271.

*Single-point sound levels are the lowest of eight points measured around the generator. 14RCA and 20RCA sound levels are measured at the front of the generator. Actual sound levels may vary based on installation parameters.

†18-month or 1,000-hour warranty offered on nonstandby (off-grid) applications of 6VSG, 12RES, and 14RCA. Five-Year Premium Limited Warranty includes 10RESV, 12RESV, 12RES, 14RCA, 20RCA, 26RCA, 24RCLA, 30RCLA, 38RCLC, 48RCLC, and 60RCLB.

Why KOHLER® *generators*?

WE HAVE A PH.D. IN POWER

In just ten seconds, KOHLER standby generators can automatically power your AC, heat, sump pump, and major appliances like your refrigerator and oven—all at the same time.

WE BUILD THEM TO OUTLAST THE OUTAGE

Every KOHLER generator features a heavy-duty engine built to exceed the demand of standby power.

WE EAT, SLEEP, AND BREATHE QUALITY

Every KOHLER generator is meticulously quality-tested, start to finish. Once the design passes our inspection, it's ready for production. Before it leaves our factory, we put it through its paces one more time. The result is total reliability.

WE'RE OVER 100 YEARS OLD, AND ONLY GETTING BETTER WITH AGE

We built our first generator in 1920. Since then we've had one simple goal: build the best generators in the world.

PREMIUM WARRANTY

You get our 2000-hour/Five-Year Premium Limited Warranty, covering parts, labor, and dealer travel for the full warranty period. Plus a corrosion-resistant enclosure that's built to last.*

STANDBY VS. PORTABLE GENERATORS

Keep your power on when you need it most.

STANDBY GENERATOR

- Ideal for backing up your home

- Automatically starts and restores power in seconds, whether you're home or away

- Permanently and professionally installed

- No refueling—runs on your home's natural or LP gas

PORTABLE GENERATOR

- Designed for job sites, camping, tailgating, and other mobile activities

- Powers individual items, such as plug-in appliances and lamps, with extension cords

- Runs on gasoline, propane, or natural gas

*Five-Year Premium Warranty includes 6-60 kW models.



POWER EVERYTHING—IN SECONDS

Only Kohler has PowerBoost™ technology which enables our 10–38 kW generators to accept heavy loads (like air conditioning or sump pump) without dropping power to other loads in your home. In addition, KOHLER generators will have your home powered within ten seconds of an outage.



POWER RELAY MODULE

Lets you manage higher electrical loads by prioritizing the circuits that cycle on and off (based on load size) to prevent overloading—allowing a smaller generator to run your home.



GET CONNECTED

Get your generator Internet-connected for peace of mind in the palm of your hand. Whether you're home or on the go, the KOHLER® mobile app will let you monitor your generator system anytime from anywhere and receive instant updates via text or email. You can now get connected easily using our Wi-Fi kit without running long network cables from your generator to your Wi-Fi router.



RXT AND RDT AUTOMATIC TRANSFER SWITCHES

Required with every generator, the transfer switch automatically transfers power from the utility to the generator—and back to the utility when power is restored. An optional exterior display lets you check the system status remotely.

KOHLER® Power Systems

Member Pricing Catalog

American Pharmacies Members — Confidential

CONTENTS

Generators	Air-cooled & liquid-cooled residential generators (10kW–150kW)
Transfer Switches (ATS)	Residential & industrial automatic transfer switches
Accessories	Generator & ATS accessories, cold weather kits, warranties
Quotation Reference	Single phase model quick-reference pricing

IMPORTANT NOTES

- All prices listed are member net prices in USD. Pricing valid as of dates shown on each sheet.
- Prices do not include freight, installation, taxes, or applicable surcharges.
- Quote valid for 30 days from date of issue. Subject to change without notice.
- Generators up to 60RCLB include Kohler OnCue monitoring (requires CAT5 cable to router).
- All units include a 5-year warranty. Upgrades to 7 or 10-year available — see Accessories tab.
- Lead time: Generators ≈ 6 weeks | Transfer Switches ≈ 2 weeks.
- Orders / POs: alexis.brown@ips.us | IPS Power Systems Standard Terms & Conditions apply.

Specification #	Description	Standby (kW)	LCB (Amp)	Member Net Price	MSRP	Lead Time (Weeks)
10RESVL-100LC12	10RESVL,RXT 100 Amp, LC-12 spaces, NEMA1	10	50	\$4,012	\$4,374	4
12RESVL-100LC12	12RESVL,RXT 100 Amp, LC-12 spaces, NEMA1	12	60	\$4,430	\$4,823	4
14RCA-QS6	14RCA, 1 PH, 240V, cUL/US, CSA	14	70	\$4,548	\$4,997	4
14RCA-QS7	14RCA, 3 PH, 208V, cUL, CSA	14	50	\$4,811	\$5,303	2
14RCA-QS8	14RCA, 3 PH, 240V, cUL, CSA	14	50	\$4,811	\$5,303	2
14RCA-QS9	14RCA, 3 PH, 480V, cUL, CSA	14	25	\$4,811	\$5,303	2
14RCA-QS5	14RCA, Shadow Grass, 1PH, 60hz,240V, cUL	14	70	\$5,561	\$6,119	2
14RCA-QS10	14RCA, Break-Up Ctry, 1PH,60hz,240V, cUL	14	70	\$5,561	\$6,119	2

14RCA-QS200	14RCA, Pegasus, 1PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS201	14RCA, French Gray, 1PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS202	14RCA, Dover Gray, 1 PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS203	14RCA, Pigeon Fthr, 1PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS204	14RCA, Nevergreen, 1 PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	4
14RCA-QS205	14RCA, Admiralty, 1 PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS206	14RCA, Canyon Blue, 1PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS207	14RCA, Hunter Green, 1PH, 60Hz,240V, cUL	14	70	\$5,036	\$5,558	2
14RCA-QS208	14RCA, Brick Dust, 1 PH, 60Hz, 240V, cUL	14	70	\$5,036	\$5,558	2
20RCA-QS6	20RCA, 1 PH, 240V, cUL/US, CSA	20	100	\$5,323	\$5,813	5
20RCA-QS7	20RCA, 3 PH, 208V, cUL/US, CSA	20	70	\$5,585	\$6,119	5

20RCA-QS8	20RCA, 3 PH, 240V, cUL/US, CSA	20	60	\$5,585	\$6,119	2
20RCA-QS9	20RCA, 3 PH, 480V, cUL/US, CSA	20	30	\$5,585	\$6,119	2
20RCA-QS5	20RCA, Shadow Grass, 1PH, 60hz,240V, cUL	20	100	\$6,335	\$6,935	2
20RCA-QS10	20RCA, Break-Up Ctry, 1PH,60hz,240V, cUL	20	100	\$6,335	\$6,935	2
20RCA-QS200	20RCA, Pegasus, 1PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	2
20RCA-QS201	20RCA, French Gray, 1PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	2
20RCA-QS202	20RCA, Dover Gray, 1 PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	6
20RCA-QS203	20RCA, Pigeon Fthr, 1PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	2
20RCA-QS204	20RCA, Nevergreen, 1 PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	11
20RCA-QS205	20RCA, Admiralty, 1 PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	2
20RCA-QS206	20RCA, Canyon Blue, 1PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	2

20RCA-QS207	20RCA, Hunter Green, 1PH, 60Hz,240V, cUL	20	100	\$5,848	\$6,425	2
20RCA-QS208	20RCA, Brick Dust, 1PH, 60Hz, 240V, cUL	20	100	\$5,848	\$6,425	2
20RCAL-200SELS	20RCAL, RXT 200 A SE, N3R, w/LOAD Man	20	100	\$6,212	\$6,782	5
26RCA-QS1	26RCA, 1 PH, 240V, cUL, CSA	26	110	\$6,800	\$7,445	4
26RCA-QS2	26RCA, 3 PH, 208V, cUL, CSA	26	110	\$7,063	\$7,751	2
26RCA-QS3	26RCA, 3 PH, 240V, cUL, CSA	26	110	\$7,063	\$7,751	2
26RCA-QS4	26RCA, 3 PH, 480V, cUL, CSA	26	110	\$7,063	\$7,751	5
26RCA-QS50	26RCA, 1 PH, 240V, cUL, CSA, Cold Weather Kit	26	110	\$7,118	\$7,853	8
26RCA-QS5	26RCA, Shadow Grass, 1PH, 60hz,240V, cUL	26	110	\$7,813	\$8,567	2
26RCA-QS10	26RCA, Break-Up Ctry, 1PH,60hz,240V, cUL	26	110	\$7,813	\$8,567	2
26RCA-QS200	26RCA, Pegasus, 1PH, 60hz, 240V, cUL	26	110	\$7,363	\$8,108	8

26RCA-QS201	26RCA, French Gray, 1PH, 60hz,240V, cUL	26	110	\$7,363	\$8,108	2
26RCA-QS202	26RCA, Dover Gray, 1PH, 60hz, 240V, cUL	26	110	\$7,363	\$8,108	2
26RCA-QS203	26RCA, Pigeon Fthr, 1PH, 60hz,240V, cUL	26	110	\$7,363	\$8,108	2
26RCA-QS204	26RCA, Nevergreen, 1PH, 60hz, 240V, cUL	26	110	\$7,363	\$8,108	3
26RCA-QS205	26RCA, Admiralty, 1PH, 60hz, 240V, cUL	26	110	\$7,363	\$8,108	2
26RCA-QS206	26RCA, Canyon Blue, 1PH, 60hz, 240V, cUL	26	110	\$7,363	\$8,108	2
26RCA-QS207	26RCA, Hunter Green, 1PH, 60hz,240V, cUL	26	110	\$7,363	\$8,108	8
26RCA-QS208	26RCA, Brick Dust, 1PH, 60hz, 240V, cUL	26	110	\$7,363	\$8,108	2
26RCAL-200SELS	26RCAL, RXT 200 Amp, SE, N3R, w/LOAD Man	26	110	\$7,690	\$8,414	4
24RCLA-QS1	24RCLA, 1 PH, 240V, UL, CSA	24	100	\$16,385	\$17,900	2
24RCLA-QS2	24RCLA, 3 PH, 208V, UL, CSA	24	90	\$16,685	\$18,257	4

24RCLA-QS3	24RCLA, 3 PH, 240V, UL, CSA	24	80	\$16,685	\$18,257	2
24RCLA-QS4	24RCLA, 3 PH, 480V, UL, CSA	24	40	\$16,685	\$18,257	2
24RCLA-QS50	24RCLA, 1 PH, 240V, UL, CSA, Blk Heater	24	100	\$16,550	\$18,257	4
30RCLA-QS1	30RCLA, 1 PH, 240V, UL, CSA	30	150	\$18,713	\$20,399	2
30RCLA-QS2	30RCLA, 3 PH, 208V, UL, CSA	30	125	\$19,013	\$20,756	2
30RCLA-QS3	30RCLA, 3 PH, 240V, UL, CSA	30	100	\$19,013	\$20,756	4
30RCLA-QS4	30RCLA, 3 PH, 480V, UL, CSA	30	50	\$19,013	\$20,756	4
30RCLA-QS50	30RCLA, 1 PH, 240V, UL, CSA, Blk Heater	30	150	\$18,878	\$20,552	2
38RCLC-QS1	38RCLC, 1 PH, 240V, UL, CSA	38	175	\$20,774	\$22,949	2
38RCLC-QS2	38RCLC, 3 PH, 208V, UL, CSA	38	150	\$21,074	\$23,255	5
38RCLC-QS3	38RCLC, 3 PH, 240V, UL, CSA	38	125	\$21,074	\$23,255	2

38RCLC-QS4	38RCLC, 3 PH, 480V, UL, CSA	38	60	\$21,074	\$23,255	2
38RCLC-QS50	38RCLC, 1 PH, 240V, UL, CSA, Blk Heater	38	175	\$20,939	\$23,051	2
48RCLC-QS5	48RCLC, 1 PH, 240V, UL, CSA	48	200	\$23,311	\$25,703	2
48RCLC-QS6	48RCLC, 3 PH, 208V, UL, CSA	48	175	\$23,611	\$26,060	2
48RCLC-QS7	48RCLC, 3 PH, 240V, UL, CSA	48	150	\$23,611	\$26,060	2
48RCLC-QS8	48RCLC, 3 PH, 480V, UL, CSA	48	80	\$23,611	\$26,060	2
48RCLC-QS51	48RCLC, 1 PH, 240V, UL, CSA, Blk Heater	48	200	\$23,476	\$25,856	2
60RCLB-QS5	60RCLB, 1 PH, 240V, UL, CSA	60	250	\$25,953	\$28,304	2
60RCLB-QS6	60RCLB, 3 PH, 208V, UL, CSA	60	225	\$26,253	\$28,661	4
60RCLB-QS7	60RCLB, 3 PH, 240V, UL, CSA	60	200	\$26,253	\$28,661	4
60RCLB-QS8	60RCLB, 3 PH, 480V, UL, CSA	60	100	\$26,253	\$28,661	4

60RCLB-QS51	60RCLB, 1 PH, 240V, UL, CSA, Blk Heater	60	250	\$26,118	\$28,457	2
KG80R-QS	KG80R, 1 PH, 120/240, 4T9X Alternator, Steel Enclosure	80	350	\$31,308	\$33,965	6
KG80R-QS1	KG80R, 1 PH, 120/240, 4T9X Alternator, Aluminum Enclosure	80	350	\$32,208	\$34,934	6
KG80R-QS2	KG80R, 3 Ph, 120/208, 4R9X Alternator, Steel Enclosure	80	300	\$31,608	\$34,271	9
KG80R-QS3	KG80R, 3 Ph, 120/240, 4R9X Alternator, Steel Enclosure	80	250	\$31,608	\$34,271	6
KG80R-QS4	KG80R, 3 Ph, 277/480, 4R9X Alternator, Steel Enclosure	80	125	\$31,608	\$34,271	7
KG80R-QS5	KG80R, 3 Ph, 120/208, 4R9X Alternator, Aluminum Enclosure	80	300	\$32,508	\$35,291	6
KG80R-QS6	KG80R, 1 PH, 120/240, 4T9X Alternator, Steel Enclosure, w/Catalyst, CA/MA Compliant	80	350	\$31,946	\$34,679	6
KG80R-QS7	KG80R, 1 PH, 120/240, 4T9X Alternator, Aluminum Enclosure, w/Catalyst, CA/MA Compliant	80	350	\$32,846	\$35,648	6
KG80R-QS8	KG80R, 3 Ph, 120/208, 4R9X Alternator, Steel Enclosure, w/Catalyst, CA/MA Compliant	80	300	\$32,246	\$34,985	6
KG80R-QS20	KG80R, 1PH, 120/240, 4T9X Alternator, Aluminum Enclosure, Auto Dual Fuel	80	300	\$33,258	\$36,056	—

KG80R-QS21	KG80R, 1PH, 120/240, 4T9X Alternator, Aluminum Enclosure, Auto Dual Fuel, CA/MA Compliant	80	300	\$33,896	\$36,770	—
KG100R-QS	KG100R, 1 PH, 120/240, 4T13X Alternator, Steel Enclosure, CA/MA Compliant	100	600	\$36,300	\$40,901	10
KG100R-QS1	KG100R, 1 PH, 120/240, 4T13X Alternator, Aluminum Enclosure, CA/MA Compliant	100	600	\$37,200	\$42,125	7
KG100R-QS2	KG100R, 3 Ph, 120/208, 4R12X Alternator, Steel Enclosure, CA/MA Compliant	100	350	\$36,600	\$41,462	13
KG100R-QS3	KG100R, 3 Ph, 120/240, 4R12X Alternator, Steel Enclosure, CA/MA Compliant	100	300	\$36,600	\$41,462	6
KG100R-QS4	KG100R, 3 Ph, 277/480, 4R12X Alternator, Steel Enclosure, CA/MA Compliant	100	150	\$36,600	\$41,462	13
KG100R-QS5	KG100R, 3 Ph, 120/208, 4R12X Alternator, Aluminum Enclosure, CA/MA Compliant	100	350	\$37,500	\$42,482	8
KG100R-QS6	KG100R, 3Ph, 600V, Aluminum Enclosure, 12V Run Relay, 2/5 IO	100	125	\$37,500	\$42,482	10
KG100R-QS20	KG100R, 1PH, 120/240, 4T13X Alternator, Aluminum, Auto Dual Fuel, CA/MA Compliant	100	350	\$38,250	\$43,298	10
KG125R-QS	KG125R, 1 PH, 120/240, 4T13X Alternator, Steel Enclosure	125	600	\$40,197	\$43,655	7
KG125R-QS1	KG125R, 1 PH, 120/240, 4T13X Alternator, Aluminum Enclosure	125	600	\$41,097	\$44,675	8

KG125R-QS2	KG125R, 3 Ph, 120/208, 4R13X Alternator, Steel Enclosure	125	600	\$40,497	\$43,961	6
KG125R-QS3	KG125R, 3 Ph, 120/240, 4R13X Alternator, Steel Enclosure	125	400	\$40,497	\$43,961	6
KG125R-QS4	KG125R, 3 Ph, 277/480, 4R13X Alternator, Steel Enclosure	125	200	\$40,497	\$43,961	10
KG125R-QS5	KG125R, 3 Ph, 120/208, 4R13X Alternator, Aluminum Enclosure	125	600	\$41,397	\$44,981	6
150ERESC-QS8	150ERESC, 1 PH, 120/240, 4T13X Alternator, Steel Enclosure	150	600	\$48,086	\$51,917	12
150ERESC-QS9	150ERESC, 1 PH, 120/240, 4T13X Alternator, Aluminum Enclosure	150	600	\$48,986	\$53,110	11
150ERESC-QS10	150ERESC, 3 Ph, 120/208, 4S13X Alternator, Aluminum Enclosure	150	600	\$49,286	\$53,447	10
150ERESC-QS11	150ERESC, 3Ph, 600V, Aluminum Enclosure, 12V Run Relay, 2/5 IO	150	225	\$49,286	\$53,447	9
150ERESC-MV10	150ERESC, 3 Ph, 120/208, 4S13X Alternator, Steel Enclosure	150	600	\$48,386	\$52,427	11
150ERESC-MV11	150ERESC, 3 Ph, 120/240, 4S13X Alternator, Steel Enclosure	150	600	\$48,386	\$52,427	11
150ERESC-MV12	150ERESC, 3 Ph, 277/480. 4S13X Alternator, Steel Enclosure	150	250	\$48,386	\$52,427	12

Specification #	Amps	Phase	Voltage	Enclosure Type / Material	Member Net Price	MSRP	Lead Time (Weeks)
Standard Models							—
RDT-CFNC-0100A-QS7	100	1Ph	240V	NEMA 3R / Aluminum	727	\$ 799.00	2
RDT-CFNC-0200A-QS7	200	1Ph	240V	NEMA 3R / Aluminum	999	\$ 1,099.00	2
RDT-CFNC-0200B-QS7	200	1Ph	240V	NEMA 3R / Aluminum	1,236	\$ 1,349.00	2
RDT-CFNC-400A-QS10	400	1Ph	240V	NEMA 3R / Aluminum	1,946	\$ 2,239.00	2
RDT-CFNC-400A-QS11	400	1Ph	240V	NEMA 3R / Aluminum	1,988	\$ 2,289.00	2
RDT-CFNC-200ASEQS4	200	1Ph	240V	NEMA 3R / Aluminum	1,340	\$ 1,459.00	6
RDT-CFNC-200BSEQS3	200	1Ph	240V	NEMA 3R / Aluminum	1,415	\$ 1,539.00	4
RDT-CFNC-400ASEQS5	400	1Ph	240V	NEMA 3R / Aluminum	3,228	\$ 3,709.00	2
RXT-JFNC-0100B-QS4	100	1Ph	240V	NEMA 3R / Aluminum	575	\$ 639.00	2
RXT-JFNC-0100A-QS7	100	1Ph	240V	NEMA 3R / Aluminum	544	\$ 599.00	4
RXT-JFNC-0200A-QS7	200	1Ph	240V	NEMA 3R / Aluminum	723	\$ 789.00	5
RXT-JFNC-0400A-QS4	400	1Ph	240V	NEMA 3R / Aluminum	1,935	\$ 2,119.00	6
RXT-JFNC-400A-MV07	400	1Ph	240V	NEMA 3R / Aluminum	1,753	\$ 2,019.00	10
RXT-JFNC-100ASEQS4	100	1Ph	240V	NEMA 3R / Aluminum	653	\$ 719.00	5
RXT-JFNC-150ASEQS3	150	1Ph	240V	NEMA 3R / Aluminum	855	\$ 939.00	4
RXT-JFNC-200ASEQS5	200	1Ph	240V	NEMA 3R / Aluminum	890	\$ 969.00	2
RXT-JFNC-300ASEQS4	300	1Ph	240V	NEMA 3R / Aluminum	3,061	\$ 3,339.00	4
RXT-JFNC-400ASEQS3	400	1Ph	240V	NEMA 3R / Aluminum	3,061	\$ 3,519.00	3

RXT-JFNC-400CSEQS	400	1Ph	240V	NEMA 3R / Aluminum	3,061	\$ 3,519.00	2
RXT-JFNC-100CSEQS3	100	1Ph	240V	NEMA 3R / Aluminum	832	\$ 909.00	2
RXT-JFNC-200CSEQS3	200	1Ph	240V	NEMA 3R / Aluminum	1,030	\$ 1,129.00	6
RXT-JCTC-0100A-QS4	100	3Ph	208V	NEMA 3R / Aluminum	1,158	\$ 1,269.00	2
RXT-JFTC-0100A-QS4	100	3Ph	240V	NEMA 3R / Aluminum	1,158	\$ 1,269.00	2
RXT-JMTC-0100A-QS4	100	3Ph	480V	NEMA 3R / Aluminum	1,158	\$ 1,269.00	2
RXT-JCTC-0200A-QS4	200	3Ph	208V	NEMA 3R / Aluminum	1,290	\$ 1,409.00	4
RXT-JFTC-0200A-QS4	200	3Ph	240V	NEMA 3R / Aluminum	1,290	\$ 1,409.00	2
RXT-JMTC-0200A-QS4	200	3Ph	480V	NEMA 3R / Aluminum	1,391	\$ 1,519.00	2
RXT-JCTC-400A-MV06	400	3Ph	208V	NEMA 3R / Aluminum	2,070	\$ 2,379.00	10
RXT-JFTC-400A-MV06	400	3Ph	240V	NEMA 3R / Aluminum	2,070	\$ 2,379.00	10
RXT-JMTC-0400A-QS3	400	3Ph	480V	NEMA 3R / Aluminum	2,312	\$ 2,659.00	2
RXT-JCTC-100A-MV03	100	3Ph	208V	NEMA 3R / Aluminum	1,158	\$ 1,269.00	15
RXT-JFTC-100A-MV03	100	3Ph	240V	NEMA 3R / Aluminum	1,158	\$ 1,269.00	15
RXT-JMTC-100A-MV04	100	3Ph	480V	NEMA 3R / Aluminum	1,158	\$ 1,269.00	15
RXT-JCTC-200A-MV03	200	3Ph	208V	NEMA 3R / Aluminum	1,290	\$ 1,409.00	15
RXT-JFTC-200A-MV03	200	3Ph	240V	NEMA 3R / Aluminum	1,290	\$ 1,409.00	15
RXT-JMTC-200A-MV04	200	3Ph	480V	NEMA 3R / Aluminum	1,391	\$ 1,519.00	15
RXT-JCTC-400A-MV07	400	3Ph	208V	NEMA 3R / Aluminum	2,070	\$ 2,379.00	10
RXT-JFTC-400A-MV07	400	3Ph	240V	NEMA 3R / Aluminum	2,070	\$ 2,379.00	10
RXT-JMTC-400A-MV04	400	3Ph	480V	NEMA 3R / Aluminum	2,312	\$ 2,659.00	28

KOHLER® Power Systems

Quotation Reference — Single Phase Models

American Pharmacies Members — Confidential Pricing

Pricing in USD

Model	Description	Member Price
10RESVL-100LC12	10RESVL,RXT 100 Amp, LC-12 spaces, NEMA1	\$ 4,279.00
12RESVL-100LC12	12RESVL,RXT 100 Amp, LC-12 spaces, NEMA1	\$ 4,726.00
14RCA-QS6	1 PHASE, 70A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, ONCUE, NO ATS, UL2200/CSA Approval, Battery Cables, Fuel Solenoid Valve & Secondary Regulator, Oil Drain Extension With Shutoff Valve, Rodent-Resistant Construction, Critical Silencer, Sound-Deadening, Flame-Retardant Sound Shield Foam, Carb- And EPA-Certified Fuel System, Flex Fuel Line, Easy-Connect Terminal Block, Five-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready,	\$ 4,548.00
20RCA-QS6	1 PHASE, 100A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, ONCUE, NO ATS, UL2200/CSA Approval, Battery Cables, Fuel Solenoid Valve & Secondary Regulator, Oil Drain Extension With Shutoff Valve, Rodent-Resistant Construction, Critical Silencer, Sound-Deadening, Flame-Retardant Sound Shield Foam, Carb- And EPA-Certified Fuel System, Flex Fuel Line, Easy-Connect Terminal Block, Five-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$164.00, Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 5,323.00

26RCA-QS1	1 PHASE, 110A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, ONCUE, NO ATS, UL2200/CSA Approval, Battery Cables, Fuel Solenoid Valve & Secondary Regulator, Oil Drain Extension With Shutoff Valve, Rodent-Resistant Construction, Critical Silencer, Sound-Deadening, Flame-Retardant Sound Shield Foam, Carb- And EPA-Certified Fuel System, Flex Fuel Line, Easy-Connect Terminal Block, Five-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$164.00, Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 6,800.00
24RCLA-QS1	1 PHASE, 100A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE NO ATS, UL2200/CSA, 60 Hz, Aluminum Sound Shield, Unit Mounted Radiator, Standard Air Intake, RDC2 Controller which includes a 2.5AMP Battery Charger, Flexible Fuel Lines, Coolant in generator, 45 C Cooling System and 5-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$164.00, Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 16,385.00
30RCLA-QS1	1 PHASE, 150A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE NO ATS, UL2200/CSA, 60 Hz, Aluminum Sound Shield, Unit Mounted Radiator, Standard Air Intake, RDC2 Controller which includes a 2.5AMP Battery Charger, Flexible Fuel Lines, Coolant in generator, 45 C Cooling System and 5-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$164.00 Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 18,713.00
38RCLC-QS1	1 PHASE, 175A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE, NO ATS, UL2200/CSA, 60 Hz, Aluminum Sound Shield, Unit Mounted Radiator, Standard Air Intake, RDC2 Controller which includes a 2.5AMP Battery Charger, Flexible Fuel Lines, Coolant in generator, 45 C Cooling System and 5-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$163.50, Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 18,878.00
48RCLC-QS5	1 PHASE, 200A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE, NO ATS, UL2200/CSA, 60 Hz, Aluminum Sound Shield, Unit Mounted Radiator, Standard Air Intake, RDC2 Controller which includes a 2.5AMP Battery Charger, Flexible Fuel Lines, Coolant in generator, 45 C Cooling System and 5-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$164.00, Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 23,311.00

60RCLB-QS5	1 PHASE, 250A C/B, RDC2 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE, NO ATS, 5 YEAR COMPREHENSIVE WARRANTY, UL2200/CSA, 60 Hz, Aluminum Sound Shield, Unit Mounted Radiator, Standard Air Intake, RDC2 Controller which includes a 2.5AMP Battery Charger, Flexible Fuel Lines, Coolant in generator, 45 C Cooling System and 5-Year Comprehensive Warranty, Factory Set for NG, Field Convertible to LP, Kohler Home Energy App Ready, **Unit needs Lan Cable ran to Controller: Optional accessories: GM114539-KP1-QS OnCue Plus- Wireless Raio Kit \$164.00, Or GM123330-KP1-QS Cellular Kit \$254.00**	\$ 25,953.00
KG80R-QS1	1 PHASE, 350A C/B, DEC 3000 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE NOT COMPATIBLE, NO ATS, UL2200/CSA, Sound Shield, 45C Unit Mounted Radiator, Standard Air Intake, APM402 Controller, Flexible Fuel Lines, 12V-6A Battery Charger, Additional Gas Solenoid Valve, Rodent Guards, Silencer, Coolant in generator, Block Heater installed and 5-Year Basic Warranty,Factory Set for NG, Field Convertible to LP.	\$ 31,308.00
KG100R-QS1	1 PHASE, 600A C/B, DEC 3000 CONTROLLER, ALUMINUM SOUND ENCLOSURE, 1800 RPM, ONCUE NOT COMPATIBLE, NO ATS, UL2200/CSA, Sound Shield, 45C Unit Mounted Radiator, Standard Air Intake, APM402 Controller, Flexible Fuel Lines, 12V-6A Battery Charger, Additional Gas Solenoid Valve, Rodent Guards, Silencer, Coolant in generator, Block Heater installed and 5-Year Basic Warranty,Factory Set for NG, Field Convertible to LP.	\$ 37,200.00
RDT-CFNC-0100A-QS7	100 AMP, 2 POLE, NEMA 3R ALUMINUM ENCLOSURE, NON-SER, 2-WIRE START 5 Year Basic Warranty	\$ 727.00
RDT-CFNC-0200A-QS7	200 AMP, 2 POLE, NEMA 3R ALUMINUM ENCLOSURE, NON-SER, 2-WIRE START 5 Year Basic Warranty	\$ 999.00
RDT-CFNC-0200B-QS7	200 AMP, 2 POLE, NEMA 3R ALUMINUM ENCLOSURE, NON-SER, 2-WIRE START WITH 24-CIRCUITS 5 Year Basic Warranty	\$ 1,236.00
RDT-CFNC-400A-QS10	400 AMP, 2 POLE, NEMA 3R ALUMINUM ENCLOSURE, NON-SER, 2-WIRE START 5 Year Basic Warranty	\$ 1,946.00

KOHLER® Power Systems — Accessories & Shipping

American Pharmacies Members — Confidential Pricing

Part Number	Description	Member Price
Transfer Switch Accessories (continued)		
RXT-JFNC-300ASEQS4	300 AMP, 1 PH, NEMA 3R, ALUMINUM SERVICE RATED — Combined Interface/Load Management Board	\$8,051.00/warranty
RXT-JFNC-400ASEQS4	400 AMP, 1 PH, NEMA 3R, ALUMINUM SERVICE RATED — Combined Interface/Load Management Board	\$8,051.00/warranty
Connectivity & Add-Ons		
GM123330-KP1-QS	Cellular Kit	\$254.00
Cold Weather Kits		
GM90235-KP1-QS	Block Heater w/Quick Connects — 24RCLA / 30RCLA / 38RCLC	\$143.00
GM78529-KP1-QS	Block Heater w/Quick Connects — 48RCLC / 60RCLB	\$169.00
Extended Warranty Options		
GM118073	7 Year Comprehensive Warranty (Air Cooled)	\$542.00
221886	5 Year Comprehensive Warranty (Liquid Cooled)	\$548.00
221887	5 Year Comprehensive Warranty (Liquid Cooled)	\$1,133.00
GM118078	7 Year Comprehensive Warranty (Liquid Cooled)	\$446.00
Freight & Delivery — Air-Cooled Models		

Air Cooled Models	Common carrier to dealer location (offload, set and install services by others)	Based on delivery zip code
-------------------	---	----------------------------

★ Freight pricing varies by delivery location.
Contact Alexis Brown at alexis.brown@ips.us or 561-519-3981 with your zip code for a freight quote.

KOHLER® Power Systems — Shipping & Start-Up Services

American Pharmacies Members — Confidential Pricing

Item / SKU	Description	Member Price
Freight & Delivery — Liquid-Cooled & Transfer Switches		
24–60kW (RCL) Common	Common carrier to dealer location (offload, set and install services by others)	Based on delivery zip code
Transfer Switches w/Gen	Shipped with generator (offload, set and install services by others)	Based on delivery zip code
ATS Pallet Type	Pallet type shipped individually (offload, set and install services by others)	Based on delivery zip code
★ Freight pricing varies by delivery location. Contact Alexis Brown at alexis.brown@ips.us or 561-519-3981 with your zip code for a freight quote.		
Start-Up Services		
★ Start-up service pricing is quoted by the installing dealer. Contact your local Kohler-authorized dealer for a start-up quote based on your installation.		
STUP-14-26kw	Start-up service — Air Cooled 14–26kW (includes supply & install battery) **If unit is mounted on a platform, additional startup costs may apply.	Quoted by installing dealer
STUP-24-60kw	Start-up service — Liquid Cooled 24–60kW (includes supply & install battery) **If unit is mounted on a platform, additional startup costs may apply.	Quoted by installing dealer
STUP-80-100kw	Start-up service — Liquid Cooled 80–150kW (includes supply & install battery)	Quoted by installing dealer

Orders & Purchase Orders: alexis.brown@ips.us
IPS Power Systems Standard Terms & Conditions apply. Freight quotes available upon request with delivery zip code.